

# Requirements Capturing by the System Architect

by *Gerrit Muller* Buskerud University College

e-mail: [gaudisite@gmail.com](mailto:gaudisite@gmail.com)

[www.gaudisite.nl](http://www.gaudisite.nl)

## Abstract


The basis of a good system architecture is the availability and understanding of the requirements. This presentation shows how a system architect can capture the requirements and how to use these requirements in the context of the product creation process.

The notion of "business key drivers" is introduced and a method is described to link these key drivers to the product specification.

## Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

July 4, 2016  
status: concept  
version: 1.5



# Definition of “Requirement”


Requirements describing the needs of the customer:  
*Customer Needs*

Requirements describing the characteristics of the final resulting product: *Product Specification*


The requirements management process recursively applies definition 2 for every level of decomposition.

Requirements describing the needs of the company itself over the life cycle: *Life Cycle Needs*


# Flow of Requirements



# System as a Black Box



# Stakeholders w.r.t. Requirements



# The “Formal” Requirements for Requirements

---

Specific

Unambiguous

Verifiable

Quantifiable

Measurable

Complete

Traceable

# The Requirements to Enable Human Use


---

Accessible

Understandable


Low threshold

# Complementary Viewpoints to Capture Requirements






# Reference Architecture: Requirements Analysis Starts Left



# Example Motorway Management Analysis



*Note: the graph is only partially elaborated for application drivers and requirements*


# Method to create Key Driver Graph

- |  |  |
|--|--|
| • Define the scope specific.   | in terms of stakeholder or market segments   |
| • Acquire and analyze facts  | extract facts from the product specification<br>and ask why questions about the specification of existing products.  |
| • Build a graph of relations between drivers and requirements<br>by means of brainstorming and discussions | where requirements<br>may have multiple drivers  |
| • Obtain feedback  | discuss with customers, observe their reactions  |
| • Iterate many times   | increased understanding often triggers the move of issues<br>from driver to requirement or vice versa and rephrasing |


# Recommendation for the Definition of Key Drivers

- Limit the number of key-drivers minimal 3, maximal 6
- Don't leave out the obvious key-drivers for instance the well-known main function of the product
- Use short names, recognized by the customer.
- Use market-/customer- specific names, no generic names for instance replace “ease of use” by “minimal number of actions for experienced users”, or “efficiency” by “integral cost per patient”
- Do not worry about the exact boundary between Customer Objective and Application create clear goal means relations



# Transformation of Key Drivers into Requirements



# Requirement Selection Process



# Simple Qualification Method



# Examples of Quantifiable Aspects

- Value for the customer
- (dis)satisfaction level for the customer
- Selling value (How much is the customer willing to pay?)
- Level of differentiation w.r.t. the competition
- Impact on the market share
- Impact on the profit margin

Use relative scale, e.g. 1..5 1=low value, 5 -high value

Ask several knowledgeable people to score

Discussion provides insight (don't fall in spreadsheet trap)